



A service of the National Library of Medicine  
and the National Institutes of Health



All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Search PubMed for PAR2

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display Summary Show 20 Sort By Send to

Text Version

All: 288 Review: 24 ☐

Items 1 - 20 of 288

Page 1 of 15

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation

Matcher

Batch Citation

Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

☐ **1:** Greaves MW.

Related Articles, 1



Recent advances in pathophysiology and current management of itch.

Ann Acad Med Singapore. 2007 Sep;36(9):788-5.

PMID: 17925991 [PubMed - in process]

☐ **2:** Matarazzo MR, Boyle S, D'Esposito M, Bickmore WA.

Related Articles, 1



Chromosome territory reorganization in a human disease with altered DNA methylation.

Proc Natl Acad Sci U S A. 2007 Oct 8; [Epub ahead of print]

PMID: 17923676 [PubMed - as supplied by publisher]

☐ **3:** Alier KA, Endicott JA, Stemkowski PL, Cenac N, Cellars L, Chapman K, Andrade-Gordon P, Vergnolle N, Smith PA.

Related Articles, 1



Intrathecal Administration of Proteinase-Activated Receptor-Agonists Produces Hyperalgesia by Exciting the Cell Bodies of Primary Sensory Neurons.

J Pharmacol Exp Ther. 2007 Oct 5; [Epub ahead of print]

PMID: 17921188 [PubMed - as supplied by publisher]

☐ **4:** Afkhami-Goli A, Noorbakhsh F, Keller AJ, Vergnolle N, Westaway D, Jhamandas JH, Andrade-Gordon P, Hollenberg MD, Arab H, Dyck RH, Power C.

Related Articles, 1



Proteinase-activated receptor-2 exerts protective and pathogenic cell type-specific effects in Alzheimer's disease.

J Immunol. 2007 Oct 15;179(8):5493-503.

PMID: 17911636 [PubMed - in process]

☐ **5:** Versteeg HH, Schaffner F, Kerver M, Petersen HH, Ahamed J, Felding-Habermann B, Takada Y, Mueller BM, Ruf W.

Related Articles, 1










Inhibition of tissue factor signaling suppresses tumor growth in Blood. 2007 Sep 27; [Epub ahead of print]

PMID: 17901245 [PubMed - as supplied by publisher]

☐ **6:** Sugimoto T, Mori C, Takanami T, Sasagawa Y, Saito R, Ichiishi E, Higashitani A.

Related Articles, 1

Caenorhabditis elegans par2.1/mtssb-1 is essential for

-  mitochondrial DNA replication and its defect causes comprehensive transcriptional alterations including a hypoxia response.  
Exp Cell Res. 2007 Aug 25; [Epub ahead of print]  
PMID: 17900564 [PubMed - as supplied by publisher]
- ☐ **7:** Moriyuki K, Nagataki M, Sekiguchi F, Nishikawa H, Kawabata A. Related Articles, I
-  Signal transduction for formation/release of interleukin-8 caused by a PAR2-activating peptide in human lung epithelial cells.  
Regul Pept. 2007 Aug 16; [Epub ahead of print]  
PMID: 17854923 [PubMed - as supplied by publisher]
- ☐ **8:** Banfi C, Brioschi M, Barcella S, Pignieri A, Parolari A, Biglioli P, Tremoli E, Mussoni L. Related Articles, I
-  Tissue factor induction by protease-activated receptor 1 requires intact caveolin-enriched membrane microdomains in human endothelial cells.  
J Thromb Haemost. 2007 Sep 10; [Epub ahead of print]  
PMID: 17848177 [PubMed - as supplied by publisher]
- ☐ **9:** Lee KE, Kim JW, Jeong KY, Kim KE, Yong TS, Sohn MH. Related Articles, I
-  Regulation of German cockroach extract-induced IL-8 expression in human airway epithelial cells.  
Clin Exp Allergy. 2007 Sep;37(9):1364-73.  
PMID: 17845418 [PubMed - in process]
- ☐ **10:** Xu X, Zhou S, Zhang Z, Ge J, Cheng W, Wei Z, Zhang X, Gao J. Related Articles, I
-  Malignant phenotype of PC3 cell line was inhibited by siRNA targeting PAR gene.  
J Huazhong Univ Sci Technolog Med Sci. 2007 Aug;27(4):440-3.  
PMID: 17828506 [PubMed - in process]
- ☐ **11:** Saifeddine M, Seymour ML, Xiao YP, Compton SJ, Houle S, Ramachandran R, Macnaughton WK, Simonet S, Vayssettes-Courchay C, Verbeuren TJ, Hollenberg MD. Related Articles, I
-  Proteinase-activated receptor-2 activating peptides: Distinct canine coronary artery receptor systems.  
Am J Physiol Heart Circ Physiol. 2007 Aug 31; [Epub ahead of print]  
PMID: 17766477 [PubMed - as supplied by publisher]
- ☐ **12:** Jiang R, Zatta AJ, Kin H, Wang N, Reeves JG, Mykytenko J, Deneve J, Zhao ZQ, Guyton RA, Vinten-Johansen J. Related Articles, I
-  PAR2 Activation at the Time of Reperfusion Salvages Myocardium via an ERK 1/2 Pathway in in vivo Rat Hearts.  
Am J Physiol Heart Circ Physiol. 2007 Aug 24; [Epub ahead of print]  
PMID: 17720772 [PubMed - as supplied by publisher]
- ☐ **13:** Nagataki M, Moriyuki K, Sekiguchi F, Kawabata Related Articles, I

A.



Evidence that PAR2-triggered prostaglandin E(2) (PGE(2)) formation involves the ERK-cytosolic phospholipase A(2)-COX-1-microsomal PGE synthase-1 cascade in human lung epithelial cells.

Cell Biochem Funct. 2007 Aug 21; [Epub ahead of print]

PMID: 17708577 [PubMed - as supplied by publisher]

☐ **14:** Ringgaard S, Lowe J, Gerdes K.

Related Articles, I



Centromere pairing by a plasmid-encoded type I ParB protein.

J Biol Chem. 2007 Sep 21;282(38):28216-25. Epub 2007 Jul 19.

PMID: 17644524 [PubMed - in process]

☐ **15:** Fang Y, Ferrie AM.

Related Articles, I



Optical biosensor differentiates signaling of endogenous PA and PAR2 in A431 cells.

BMC Cell Biol. 2007 Jun 22;8:24.

PMID: 17587449 [PubMed - indexed for MEDLINE]

☐ **16:** Velissariou V, Sismani C, Christopoulou S, Kaminopetros P, Hatzaki A, Evangelidou P, Koumbaris G, Bartsocas CS, Stylianidou G, Skordis N, Diakoumakos A, Patsalis PC.

Related Arti



Loss of the Y chromosome PAR2 region and additional rearrangements in two familial cases of satellited Y chromosomes: cytogenetic and molecular analysis.

Eur J Med Genet. 2007 Jul-Aug;50(4):291-300. Epub 2007 May 18.

PMID: 17584536 [PubMed - indexed for MEDLINE]

☐ **17:** Dai Y, Wang S, Tominaga M, Yamamoto S, Fukuoka T, Higashi T, Kobayashi K, Obata K, Yamanaka H, Noguchi K.

Related Arti



Sensitization of TRPA1 by PAR2 contributes to the sensation of inflammatory pain.

J Clin Invest. 2007 Jul;117(7):1979-87.

PMID: 17571167 [PubMed - indexed for MEDLINE]

☐ **18:** Verloes A.

Related Articles, I



[X chromosome]

Presse Med. 2007 Mar;36 Spec No 1:1S7-13. Review. French.

PMID: 17546761 [PubMed - indexed for MEDLINE]

☐ **19:** Arisawa T, Tahara T, Shibata T, Nagasaka M, Nakamura M, Kamiya Y, Fujita H, Takagi T, Hasegawa S, Wang FY, Hirata I, Nakano H.

Related Arti



Promoter hypomethylation of protease-activated receptor : associated with carcinogenesis in the stomach.

J Gastroenterol Hepatol. 2007 Jun;22(6):943-8. Epub 2007 May 22.

PMID: 17517084 [PubMed - indexed for MEDLINE]

☐ **20:** Daubie V, De Decker R, Nicaise C, Pochet R.

Related Articles, I



# Osteosarcoma cell-calcium signaling through tissue factor-factor VIIa complex and factor Xa.

FEBS Lett. 2007 Jun 12;581(14):2611-5. Epub 2007 May 8.

PMID: 17509570 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 288

Page 1 of 15

Display  Show  Sort By  Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)